




TRAILER
& CHASSIS EQUIPMENT

JOCKEY WHEEL AL-KO



626100

6 x 2 JOCKEY WHEEL c/w CLAMP

WEIGHT (KG)	SURFACE FINISH	STATIC CAPACITY (KG)	OUTTER TUBE DIAMETER	D (mm)	H 1 (mm)	H 2 (mm)	G 1 (mm)	G 2 (mm)	L 1 (mm)
5.5	ZINC PLATED	400KG	48mm	150	507	772	202	467	182



628100

8 x 2 JOCKEY WHEEL c/w CLAMP

WEIGHT (KG)	SURFACE FINISH	STATIC CAPACITY (KG)	OUTTER TUBE DIAMETER	D (mm)	H 1 (mm)	H 2 (mm)	G 1 (mm)	G 2 (mm)	L 1 (mm)
7	ZINC PLATED	400KG	48mm	200	567	832	262	522	182



628325

8 x 2 EX. HEIGHT JOCKEY WHEEL c/w CLAMP

WEIGHT (KG)	SURFACE FINISH	STATIC CAPACITY (KG)	OUTTER TUBE DIAMETER	D (mm)	H 1 (mm)	H 2 (mm)	G 1 (mm)	G 2 (mm)	L 1 (mm)
7	ZINC PLATED	400KG	48mm	200	730	995	370	635	132

Helpful Hint:

Use a large wheel for soft ground!



TRAILER


JOCKEY WHEEL

& CHASSIS EQUIPMENT

AL-KO

626204

6 x 2 JOCKEY WHEEL c/w
SMALL DOUBLE LOCK PIN BRACKET



WEIGHT (KG)	SURFACE FINISH	STATIC CAPACITY (KG)	OUTTER TUBE DIAMETER	D (mm)	H 1 (mm)	H 2 (mm)	G 1 (mm)	G 2 (mm)	U (mm) HOLE SIZE (ø14)
									U 1
									FOR DRAW BAR DEPTH
									50mm
7	ZINC PLATED	400KG	48mm	150	510	760	300	525	63

628204

8 x 2 JOCKEY WHEEL c/w
SMALL DOUBLE LOCK PIN BRACKET



WEIGHT (KG)	SURFACE FINISH	STATIC CAPACITY (KG)	OUTTER TUBE DIAMETER	D (mm)	H 1 (mm)	H 2 (mm)	G 1 (mm)	G 2 (mm)	U (mm) HOLE SIZE (ø14)
									U 1
									FOR DRAW BAR DEPTH
									50mm
8.5	ZINC PLATED	400KG	48mm	200	570	820	310	560	63

Helpful Hint:
Use a large wheel for soft ground!



TRAILER
& CHASSIS EQUIPMENT


JOCKEY WHEEL

AL-KO



621250

**250 x 80 SOLID TYRE POWER MOVER
JOCKEY WHEEL c/w CLAMP**




WEIGHT (KG)	SURFACE FINISH	STATIC CAPACITY (KG)	DYNAMIC CAPACITY (KG)	OUTTER TUBE DIAMETER	D (mm)	H 1 (mm)	H 2 (mm)	G 1 (mm)	G 2 (mm)	L 1 (mm)	L 2 (mm)
14.7	ZINC PLATED	350KG	150KG	48mm	245	625	875	335	585	85	85



623660XP3

**250 x 80 SOLID TYRE JOCKEY
WHEEL c/w 3 BOLTS DOUBLE
LOCK PIN SWIVEL BRACKET**



WEIGHT (KG)	SURFACE FINISH	STATIC CAPACITY (KG)	OUTTER TUBE DIAMETER	D (mm)	H 1 (mm)	H 2 (mm)	G 1 (mm)	G 2 (mm)	U (mm) HOLE SIZE (ø14)		
									U 1	U 2	U 3
									FOR DRAW BAR DEPTH		
									50 mm	100 mm	75 mm
11	ZINC PLATED	400KG	48mm	200	630	880	320	570	63	113	88

Helpful Hint: Use a large wheel for soft ground!




TRAILER
& CHASSIS EQUIPMENT

JOCKEY WHEEL

AL-KO

628500

**8 x 2 PREMIUM SIDE WIND JOCKEY
WHEEL c/w EXTRA WIDE CLAMP**



WEIGHT (KG)	SURFACE FINISH	STATIC CAPACITY (KG)	OUTTER TUBE DIAMETER	D (mm)	H 1 (mm)	H 2 (mm)	G 1 (mm)	G 2 (mm)	L 1 (mm)	L 2 (mm)	L 3 (mm)
9.1	ZINC PLATED	400KG	48mm	200	771	1037	320	586	85	85	85

SA**TRAILER**

& CHASSIS EQUIPMENT


JOCKEY WHEEL

AL-KO**622455**

500KG FLIP UP JOCKEY WHEEL c/w BRACKET





WEIGHT (KG)	SURFACE FINISH	STATIC CAPACITY (KG)	DYNAMIC CAPACITY (KG)	WHEEL DIM. & WIDTH (mm)		
10	ZINC PLATED	500KG	300KG	200 x 50		
DIM. A		DIM. B	DIM. C (MAX. TRAVEL) (mm)	DIM. D (OUTTER TUBE DIAMETER)	DIM. E (mm)	
MIN. (mm)	MAX. (mm)	MIN. (mm)				
730	975	840	245	60mm	410	
DIM. F (mm)	DIM. G (mm)	DIM. H (mm)	DIM. K (mm)	DIM. L (mm)	DIM. M (MIN. mm)	DIM. N (mm)
300	145	330	235	90	75	140

**622800**

800KG FLIP UP JOCKEY WHEEL c/w BRACKET



WEIGHT (KG)	SURFACE FINISH	STATIC CAPACITY (KG)	WHEEL DIM. & WIDTH (mm)	DIM. A (mm)	
				MIN.	MAX.
17	HOT DIP GAL	800KG	260 x 65	920	1140
DIM. B TUBE Ø		DIM. C (MAX. TRAVEL) (mm)	DIM. D (mm)	DIM. E (mm)	DIM. F (mm)
73.5mm		225	450	355	190






TRAILER
& CHASSIS EQUIPMENT

JOCKEY WHEEL

AL-KO



626050

**T/T 6 x 2 LIGHT DUTY JOCKEY WHEEL
c/w CLAMP**



WEIGHT (KG)	SURFACE FINISH	STATIC CAPACITY (KG)	OUTTER TUBE DIAMETER	D (mm)	H 1 (mm)	H 2 (mm)	G 1 (mm)	G 2 (mm)	L 1 (mm)
5	ZINC PLATED	350KG	48mm	150	510	760	202	457	180

629250TT

**T/T 250 x 80 ZINC PLATED SOLID TYRE
JOCKEY WHEEL c/w CLAMP**




WEIGHT (KG)	SURFACE FINISH	STATIC CAPACITY (KG)	OUTTER TUBE DIAMETER	D (mm)	H 1 (mm)	H 2 (mm)	G 1 (mm)	G 2 (mm)	L 1 (mm)
8	ZINC PLATED	350KG	48mm	245	635	885	325	575	180

Helpful Hint:

Use a large wheel for soft ground!

SA**TRAILER**
& CHASSIS EQUIPMENT

JOCKEY WHEEL

AL-KO**626190****T/T 6 x 2 LIGHT DUTY JOCKEY WHEEL
c/w LARGE DOUBLE LOCK PIN BRACKET**

WEIGHT (KG)	SURFACE FINISH	STATIC CAPACITY (KG)	OUTTER TUBE DIAMETER	D (mm)	H 1 (mm)	H 2 (mm)	G 1 (mm)	G 2 (mm)	U (mm) HOLE SIZE (ø14)		
									U 1	U 2	U 3
									FOR DRAW BAR DEPTH		
									50 mm	100 mm	75 mm
6.75	ZINC PLATED	350KG	48mm	150	510	760	310	560	63	113	88

628200SLTT**T/T 8 x 2 ZINC PLATED JOCKEY WHEEL
c/w LARGE DOUBLE LOCK PIN BRACKET**


WEIGHT (KG)	SURFACE FINISH	STATIC CAPACITY (KG)	OUTTER TUBE DIAMETER	D (mm)	H 1 (mm)	H 2 (mm)	G 1 (mm)	G 2 (mm)	U (mm) HOLE SIZE (ø14)		
									U 1	U 2	U 3
									FOR DRAW BAR DEPTH		
									50 mm	100 mm	75 mm
7.5	ZINC PLATED	350KG	48mm	200	570	820	310	560	63	113	88

629250SLTT**T/T 250 x 80 ZINC PLATED JOCKEY WHEEL
c/w LARGE DOUBLE LOCK PIN BRACKET**

WEIGHT (KG)	SURFACE FINISH	STATIC CAPACITY (KG)	OUTTER TUBE DIAMETER	D (mm)	H 1 (mm)	H 2 (mm)	G 1 (mm)	G 2 (mm)	U (mm) HOLE SIZE (ø14)		
									U 1	U 2	U 3
									FOR DRAW BAR DEPTH		
									50 mm	100 mm	75 mm
10.5	ZINC PLATED	350KG	48mm	245	630	880	395	645	63	113	88

SA**TRAILER**
& CHASSIS EQUIPMENT

JOCKEY WHEEL


AL-KO

629900 JOCKEY WHEEL CLAMP

WEIGHT (KG)	SURFACE FINISH	OUTTER TUBE DIAMETER	A (mm)	B ø (mm)
1	ZINC PLATED	48mm	150	13

629920 LARGE DOUBLE LOCK PIN BRACKET


WEIGHT (KG)	SURFACE FINISH	STATIC CAPACITY (KG)	OUTTER TUBE DIAMETER	U 1 (mm)	U 2 (mm)	U 3 (mm)	U (mm) HOLE SIZE
2.5	ZINC PLATED	400KG	48mm	63	113	88	14





629935

DOUBLE LOCK PIN BRACKET c/w CLAMP

WEIGHT (KG)	SURFACE FINISH	OUTTER TUBE DIAMETER	A (mm)	B (mm)	C (mm)	D(mm)
3.3	ZINC PLATED	48mm	185	75	50	100

**629600****6 x 2 SOLID
RUBBER WHEEL****629888****8 x 2 STEEL/
RUBBER WHEEL****629850****250 x 80 STEEL/
RUBBER WHEEL****Helpful Hint:** Use a large wheel for soft ground!

Part No.	Description	
626262	JOCKEY WHEEL U.BOLT KIT (75mm x 75mm)	
626260	JOCKEY WHEEL U.BOLT KIT (100mm x 75mm)	
629910	AK JOCKEY WHEEL MANOUVERING HANDLE	
629915	AK JOCKEY WHEEL PREMIUM WIDE CLAMP	
629602	STD. THRUST BEARING	
629601GS	JOCKEY WHEEL HANDLE c/w GRUB SCREW	
629601RP	JOCKEY WHEEL HANDLE c/w ROLL PIN	
629951	CLAMP HANDLE & BOLT	
629605	SCREWED SHAFT ONLY	



JOCKEY WHEEL

EASYLIFT



JW-HDLP
8 x 2 HEAVY DUTY JOCKEY WHEEL
c/w SINGLE LOCK PIN BRACKET

STATIC CAPACITY (KG): 1500KG

			WEIGHT RATING
	323302-00	SINGLE LOCK PIN BRACKET	--
	SRNW1505013	6 x 2 SOLID RUBBER WHEEL	500KG
	SRNW2005016	8 x 2 SOLID RUBBER WHEEL	800KG
	SRSW2504825	10 x 2 ALLI/RUBBER WHEEL	2000KG

JOCKEY WHEEL **SAT**



SABD-03A

6" JOCKEY WHEEL c/w CLAMP



SABD-03A2

**6" JOCKEY WHEEL
c/w LARGE DOUBLE LOCK PIN BRACKET**



SABD-03G1

**8" JOCKEY WHEEL
c/w LARGE DOUBLE LOCK PIN BRACKET**



SABD-03H

**10" PNEUMATIC JOCKEY WHEEL
c/w CLAMP**

JOCKEY WHEEL SAT

SABD-03H2

**10" PNEUMATIC JOCKEY WHEEL
c/w LARGE DOUBLE LOCK PIN BRACKET**



SA8HD/SA07

**8 x 2 HEAVY DUTY JOCKEY WHEEL
c/w SINGLE LOCK PIN BRACKET**

STATIC CAPACITY (KG): 1000KG



SA10HD/SA07

**10 x 2 HEAVY DUTY JOCKEY WHEEL
c/w SINGLE LOCK PIN BRACKET**

STATIC CAPACITY (KG): 1500KG



		
SA07	SA200X50	SA250X60
SINGLE LOCK PIN BRACKET	200 x 50 (8") CAST/POLY WHEEL	250 x 60 (10") CAST/POLY WHEEL

JOCKEY WHEEL SPARE PARTS

Part No.	Description	
SASTB	SA SMALL THRUST BEARING	
SALTB	SA LARGE THRUST BEARING	
SA810SS/SN	SA H/D SCREWED SHAFT & NUTS	
SA810WH	SA H/D JOCKEY WHEEL HANDLE (GRUB SCREW)	
323307-01	EL. H/D JOCKEY WHEEL HANDLE (GRUB SCREW)	
323305-10	EL. H/D SCREWED SHAFT ONLY	
323306-10	EL. H/D SCREWED SHAFT NUT	