


• **CARTER WESCO**



WF6

70mm BALL COUPLING c/w LEVER


WEIGHT RATING: TESTED TO 6000KG



W46/6

70mm BALL to suit 70mm COUPLING

WEIGHT RATING: TESTED TO 6000KG




• **COUPLEMATE**



WF45

70mm BALL COUPLING c/w LEVER


WEIGHT RATING: TESTED TO 4500KG



W46

70mm BALL to suit 70mm COUPLING

WEIGHT RATING: TESTED TO 4500KG



- GOOSE NECK COUPLING & BALLS**



SM300C

SM300 GOOSENECK 3" COUPLING

(CTA APPROVED : CTA-047029)

WEIGHT RATING: 10,000KG



GP300C

GP300 GOOSENECK 3" COUPLING

(TO AG USE ONLY)


WEIGHT RATING: 9000KG



B2516

2.5/16" TOWBALL

TOWING RATING: 6000KG




SM300B

SM300 TOWBALL 3"

(TO AG USE ONLY)

TOWING RATING: 9000KG




SM300B

SM300 TOWBALL 3"

(CTA APPROVED : CTA-047277)

TOWING RATING: 10,000KG



PART NO.	DESCRIPTION	WEIGHT RATING	
AO118	3" RING WELD ON SWIVEL COUPLING	10,000KG	
AO160	3" RING BOLT ON TELECOM COUPLING	10,000KG	
CWOB	50MM STD WELD ON COUPLING - BLACK	---	
CAS32Z	50mm STD COUPLING 3 HOLE - ZINC	---	
JS-CWET	50mm A-FRAME WELD ON COUPLING	---	